

# **DOOSAN** | PARTS

## DOOSAN HAND PALLET TRUCK




### the **Doosan Hand Pallet Truck**

- Forksize 1150mm x 540mm  
1000mm x 685mm
- Capacity 2500kg
- Fully enclosed pump
- PU or rubber steering wheels
- Double loading wheels
- Rubber wrapped handle



\* This

Description	Details
Capacity	2500kg
Dimensions	
Fork length / width	1000mm – 685mm 1150mm – 540mm
Materials	
Loading wheels	Polyurethane
Steer wheels	Polyurethane or rubber
Handle and forks	Steel
Warranty	12 months*



warranty does not apply to failures which can be attributed to misuse, negligence, unauthorised attention or repair, accidents or lack of maintenance.



<b>P/N</b>	<b>Size</b>	<b>Loading wheels</b>	<b>Steer wheels</b>	<b>Pump</b>
<b>900124-10202</b>	<b>1150mm X 540mm</b>	<b>Double PU</b>	<b>PU</b>	<b>Premium pump</b>
<b>900124-10207</b>	<b>1000mm X 685mm</b>		<b>PU</b>	
<b>900124-10200</b>	<b>1150mm X 540mm</b>	<b>Double PU</b>	<b>Rubber</b>	
<b>900124-10206</b>	<b>1000mm X 685mm</b>		<b>Rubber</b>	





- Specially designed to lift and transport the widest variety of loads in stores and warehouses.
- The ergonomic Doosan tiller safely protects the operator's hands while working.
- Excellent hydraulic lift unit.
- Strong, torsion-resistant steel construction.
- Load-in/load-out rollers under the fork tips enable HPT to enter any kind of pallet.
- Maintenance-free hydraulic unit and bearings.
- Moulded front bumper to protect both unit and goods.
- Light but strong A 16Mn / Q345 steel structure □ Double or single loading wheels.

\*Free Freight

